

APPENDIX
SPACES TO BE INDICATED IN THE PLANS NEXT PAGE WITH NUMBERS
CORRESPONDING WITH THE TABLE BELOW

Class \ Hold	CH 1~4	Weather Deck Fr. Nos.15~32	Deck spaces 1~4	Weather Deck AFT. end ~Fr. 15						
1.1-1.6	X	X	P	P						
1.4S	P	P	P	P						
2.1	X	X	P	P						
2.2	P	X	P	P						
2.3 flammable	X	X	P	P						
2.3 non-flammable	X	X	P	P						
3 liquids FP<23°C	X	X	P	P						
3 liquids 23°C≤FP≤60°C	P	X	P	P						
4.1	P(1)	X	P	P						
4.2	P(1)	X	P	P						
4.3 liquids	C(2)	X	P	P						
4.3 solids	C	X	P	P						
5.1	P(1)	P(6)	P	P						
5.2	X	X	P	P						
6.1 liquids	X	P(4)	P(4)	P(4)						
6.1 liquids FP<23°C	X	X	P	P						
6.1 liquids 23°C≤FP≤60°C	X	X	P	P						
6.1 solids	P(1)	P	P	P						
8 liquids	P(3)(4)	P(4)	P(4)	P(4)						
8 liquids FP<23°C	X	X	P	P						
8 liquids 23°C≤FP≤60°C	C(3)	X	P	P						
8 solids	P	P	P	P						
9	P(1)(5)	P	P	P						

P — Indicates PACKAGED GOODS PERMITTED
 A — Indicates PACKAGED AND BULK GOODS ALLOWED
 X — NOT ALLOWED
 Note: Cargoes in bulk may be listed individually by name and class



PLANS:

UNDER-DECK SPACES



ON DECK SPACES



Remarks related to the information in previous table:

- (1) If stowage in a "mechanically ventilated space" is stipulated by the IMDG Code, in closed freight containers.
- (2) Except goods having a flashpoint less than 23°C listed in the IMDG Code.
- (3) Except goods having a subsidiary risk class 6.1.
- (4) Only goods having a flashpoint more than 60°C listed in the IMDG Code.
- (5) Other than goods evolving flammable vapour class 9.
- (6) Except goods for which stowage "protected from sources of heat" is stipulated by the IMDG Code.
- (7) The dangerous goods shall not be stowed within 3m horizontally from machinery space boundaries.
- (8) C indicates IN CLOSED FREIGHT CONTAINERS OR PORTABLE TANKS PERMITTED.

