

APPENDIX
SPACES TO BE INDICATED IN THE PLANS NEXT PAGE WITH NUMBERS
CORRESPONDING WITH THE TABLE BELOW

Class	Hold	In cargo hold No.1~No. .3 (*1)	In cargo hold No.4 (*2 ,*6)	On weather deck except above E./R (*3)	On weather deck abover E/R						
1.1-1.6	X	X	X	P (*4)	X						
1.4S	P	P	P	P	P						
2.1	P (*7)	X	X	P	X						
2.2	P	P	P	P	X						
2.3 flammable	X	X	X	P	X						
2.3 non-flammable	X	X	X	P	X						
3 liquids FP<23℃	P	X	X	P	X						
3 liquids 23℃≤FP≤60℃	P	P	P	P	X						
4.1	P	P	P	P	X						
4.2	P	P	P	P	X						
4.3 liquids	P (*8)	P (*8)	P	P	X						
4.3 solids	P	P	P	P	X						
5.1	P	P	P	P	P (*5)						
5.2	X	X	X	P	X						
6.1 liquids	P	X	X	P	P						
6.1 liquids FP<23℃	P	X	X	P	X						
6.1 liquids 23℃≤FP≤60℃	P	X	X	P	X						
6.1 solids	P	P	P	P	P						
8 liquids	P	X	X	P	P						
8 liquids FP<23℃	P	X	X	P	X						
8 liquids 23℃≤FP≤60℃	P	P	P	P	X						
8 solids	P	P	P	P	P						
9	P	P (*9)	P	P	X						

P — Indicates PACKAGED GOODS PERMITTED
 A — Indicates PACKAGED AND BULK GOODS ALLOWED
 X — NOT ALLOWED
 Note: Cargoes in bulk may be listed individually by name and class



PLANS:

UNDER-DECK SPACES



ON DECK SPACES



Remarks related to the information in previous table:

- *1) For cargo hold No.1~No.3, explosion-proof type fans to be of IIB-T4 grade or equivalent. If any dangerous cargoes require explosion-proof grade higher than IIB-T4, such cargoes cannot be loaded(i.e. hydrogen, hydrogen mixture, ethyl nitrite, ethyl nitrate, etc.).
- *2) For cargo hold No.4, fans shall be of non-explosion-proof type.
- *3) Reefer containers on weather deck to be stowed 3m away from the mechanical ventilation outlet of dangerous cargo hold where dangerous cargo is loaded.
- *4) Dangerous goods of class 1.1 to 1.6 shall be stowed 3m horizontally away from the machinery space boundaries in all cases.
- *5) Except goods stowage away from sources of heat.
- *6) Dangerous goods shall be stowed in No.4 Cargo hold at least 3m away from the forward transverse bulkhead of engine room.
- *7) Hydrogen and hydrogen mixtures are not permitted.
- *8) Liquids flash point $<23^{\circ}$ C is not permitted.
- *9) Dangerous goods evolving flammable vapour is not permitted.

