


DOCUMENT OF COMPLIANCE FOR THE CARRIAGE OF DANGEROUS GOODS

"F"


Issued in pursuance of the requirement of
REGULATION II-2/19.4 OF THE INTERNATIONAL CONVENTION OF SAFETY OF LIFE AT SEA, 1974,
as amended,



under the authority of the Government of the

REPUBLIC OF LIBERIA

by **GERMANISCHER LLOYD**



Name of Ship	Distinctive Number or Letters	Port of Registry	Ship Type	IMO Number
<i>ex</i> MARUBA MAXIMA <i>BUXMELODY</i>	A8SW4 91786	Monrovia	Container	9377145

THIS IS TO CERTIFY:

- 1 That the construction and equipment of the above mentioned ship as specified in the appended schedule 2 was found to comply with the provisions of regulation II-2/19 of the International Convention for the Safety of Life at Sea, 1974, as amended.
- 2 That the ship is suitable for the carriage of those classes of dangerous goods as specified in the appended schedules 1(a) and 1(b), subject to any provisions in the International Maritime Dangerous Goods (IMDG) Code for individual substances, materials or articles also being complied with.

This document is valid until **17th February, 2013.**

Issued at **Hamburg** the **19th** day of **May, 2009.**



Germanischer Lloyd


R. Hassa
Rainer Hassa

A. Rasche
Anja Rasche

Note: There are no special requirements in the above-mentioned regulation II-2/19 for the carriage of dangerous goods of classes 6.2 and 7, and for the carriage of dangerous goods in limited quantities, as required in chapter 3.4 of the IMDG Code.

Schedule 1(a)

Spaces and numbers indicated in the plan are corresponding with the table below



Underdeck spaces

Class \ Hold	1	2	3	4	5	6	7	8	9
1.1 - 1.6	X	X	X	X	X	X			
1.4.S	P	P	P	P	P	P			
2.1	X	X	X	X	X	X			
2.2	P	P	P	P	P	P			
2.3	C	C	C	C	C	C			
3 FP < 23°C c.c.	X	X	X	X	X	X			
3 FP ≥ 23°C - ≤ 61°C	P	P	P	P	P	P			
4.1	P ¹⁾	P ¹⁾	P ¹⁾	P ¹⁾	P ¹⁾	P ¹⁾			
4.2	P ¹⁾	P ¹⁾	P ¹⁾	P ¹⁾	P ¹⁾	P ¹⁾			
4.3	C	C	C	C	C	C			
5.1	P ¹⁾	P ¹⁾	P ¹⁾	P ¹⁾	P ¹⁾	P ¹⁾			
5.2	X	X	X	X	X	X			
6.1 liquids	X	X	X	X	X	X			
6.1 liquids FP < 23°C c.c.	X	X	X	X	X	X			
6.1 liquids FP ≥ 23°C - ≤ 61°C	X	X	X	X	X	X			
6.1 solids	P ¹⁾	P ¹⁾	P ¹⁾	P ¹⁾	P ¹⁾	P ¹⁾			
8 liquids	C	C	C	C	C	C			
8 liquids FP < 23°C c.c.	X	X	X	X	X	X			
8 liquids FP ≥ 23°C - ≤ 61°C	C	C	C	C	C	C			
8 solids	P	P	P	P	P	P			
9	P ¹⁾	P ¹⁾	P ¹⁾	P ¹⁾	P ¹⁾	P ¹⁾			


- P Indicates PACKAGED GOODS PERMITTED
- C Indicates PACKAGED GOODS IN CLOSED FREIGHT CONTAINERS PERMITTED
- A Indicates PACKAGED and BULK GOODS PERMITTED
- B Indicates BULK GOODS PERMITTED
- X NOT PERMITTED

Remarks related to the information in the table above as applicable:

NOTE: 1) If stowage in a "mechanically ventilated space" is stipulated by the IMDG Code, in closed freight containers.

Schedule 1(b)

Spaces and numbers indicated in the plan are corresponding with the table below



On deck spaces

Class \ Weather deck	ER 1)	1	2	3	4	5	6	7	8
1.1 - 1.6	X	P	P	P	P	P	P		
1.4.S	P	P	P	P	P	P	P		
2.1	X	P	P	P	P	P	P		
2.2	X	P	P	P	P	P	P		
2.3	X	P	P	P	P	P	P		
3 FP < 23°C c.c.	X	P	P	P	P	P	P		
3 FP ≥ 23°C - ≤ 61°C	X	P	P	P	P	P	P		
4.1	X	P	P	P	P	P	P		
4.2	X	P	P	P	P	P	P		
4.3	X	P	P	P	P	P	P		
5.1	P 2)	P	P	P	P	P	P		
5.2	X	P	P	P	P	P	P		
6.1 liquids	P	P	P	P	P	P	P		
6.1 liquids FP < 23°C c.c.	X	P	P	P	P	P	P		
6.1 liquids FP ≥ 23°C - ≤ 61°C	X	P	P	P	P	P	P		
6.1 solids	P	P	P	P	P	P	P		
8 liquids	P	P	P	P	P	P	P		
8 liquids FP < 23°C c.c.	X	P	P	P	P	P	P		
8 liquids FP ≥ 23°C - ≤ 61°C	X	P	P	P	P	P	P		
8 solids	P	P	P	P	P	P	P		
9	P	P	P	P	P	P	P		

P Indicates
PACKAGED GOODS
PERMITTED

X NOT PERMITTED

Remarks related to the information in the table above as applicable:

- NOTE: 1) Stowage applicable between frames #18 and #43.
2) Except goods for which stowage "away from sources of heat" is stipulated by the IMDG Code.

Schedule 2

Special arrangements acc. to SOLAS II-2/19

Clause	Special requirement	Remarks
1.1	Compliance with Reg. 10.7.2	Fixed CO₂ system
3.1.1	Immediate availability of water supplies	Remote start of main fire pumps from the wheel house
3.1.2	Quantity of water delivered and arrangement of hydrants	Provided
3.1.3	Water cooling	Not provided
3.1.4	Cargo space flooding	Not provided
3.2	Sources of ignition	Explosion protection of electrical equipment in the holds: Not provided
3.3	Fire detection and alarm system	Sample extraction smoke detection and alarm system
3.4.1	Mechanical ventilation	#1 to #6 hold: At least two air changes
3.4.2	Safety of fans	Not provided
	Wire mesh guards	Not provided
3.5	Bilge pumping	Not provided
3.6.1	Protective clothing	Four sets
3.6.2	Additional self-contained breathing apparatus	Two sets in addition to fire-fighter's outfits
3.7	Portable extinguishers	Additional total of 12 kg dry powder
3.8	Insulation of machinery space boundaries	Not provided
		Weather deck area between frames #18 and #43 is located above engine room
3.9	Water spray system	N.A.
3.10	Separation of ro-ro spaces	N.A.